REQUEST FOR QUOTATION Kuwait Oil Company (K.S.C)

RFQ Number: 2109290 Publish Type : PUBLIC

Issue Date: 09-Nov-2022 Rfq Fee Required? :

Due Date: 28-Nov-2022 Rfq Fee Amount : 0.000
Due Time: 13:00 Bid Bond Required? :

Bid Bond Amt / %: 0.000

			_			•
Return	RFQ	Res	oon	se	To:	

EBUS

Electronic Bidding

Fax:

Direct Inquiries to:

Name:

ABDULAZIZ ALSALEH

Phone:

23865785

Fax:

+965 23984967 / 23986491

Email:

AKSaleh@kockw.com

Vendor:

Fax:

Email:

Line	Qty	UP	Item	Unit Price
1 2	NO	70007963 LIFTER, PALLET, 2.5 TON, HEAVY DUTY STEEL WITH POLYURETHANE WHEELS, 75 X 200 X 1150 MM, HYDRAULIC TRUCK	Total Price	

Rolls easily, can maneuver in crampled areas. Heavy duty steel frame with polyurethane wheels. Self lubricating bearings at all pivot points. Forks with tapered ends and rugged slides for easy entry and exit from pallets with the following specifications & dimensions:

Load capacity - more or equal to 2.5 Ton

Height of fork (lowered height from flooring to top of fork) - more or equal to 75 mm, (raised height from flooring to top of fork) - equal or less to 200 mm, width over forks - equal or less to 865 mm.

Fork length - equal or more to 1150 mm

Full Detailed Technical speification & catalogue to be submitted with the offer for technical evaluation.

Mfr / Ven:

Model:

Part:

Product Group:

Attribute	Value
APPLICATION	PALLET
CAPACITY	2.5
MATERIAL	HEAVY DUTY STEEL WITH POLYURETHANE WHEELS
SIZE	75 X 200 X 1150
TYPE	HYDRAULIC TRUCK

REQUEST FOR QUOTATION Kuwait Oil Company (K.S.C) Publish Type **PUBLIC** Return RFQ Response To: RFQ Number: 2109290 Rfq Fee Required? **EBUS** Issue Date: 09-Nov-2022 Electronic Bidding Due Date: 28-Nov-2022 0.000 Rfq Fee Amount Due Time: 13:00 Bid Bond Required? : Fax: Bid Bond Amt /%: 0.000

Delivery Period in Days		in Days	Method of Shipm	Need Date			
Line	Qty	UP	Item		Unit Price		
2 3		AS	WHEELS, 75 X 200 X 1	ON, HEAVY DUTY STEEL WITH POLYURETHANE 150 MM, HYDRAULIC TRUCK allet Truck - 2.5 Ton Capacity	Total Pric		
			wheels. Self lubricating b	er in crampled areas. Heavy duty steel frame with polyur earings at all pivot points.Forks with tapered ends and ru exit from pallets with the following specifications & dim	gged		
			Load capacity - more or equal to 2.5 Ton				
				neight from flooring to top of fork) - more or equal to 75 ing to top of fork) - equal or less to 200 mm, or less to 865 mm.	mm,		
			Fork length - equal or mo	ore to 1150 mm			
		Full Detailed Technical stechnical stechnical	speification & catalogue to be submitted with the offer fo	ır.			
			Mfr / Ven:				
			Model:				
			Part:				
			Product Group:				
			Attribute	Value			
			APPLICATION	PALLET			
			CAPACITY	2.5			
				The second secon	TYPET A		

Attribute	Value
APPLICATION	PALLET
CAPACITY	2.5
MATERIAL	HEAVY DUTY STEEL WITH POLYURETHANE WHEELS
SIZE	75 X 200 X 1150
TYPE	HYDRAULIC TRUCK

Delivery Period in Days

Method of Shipment

INCO Terms

Need Date

Line	Qty	UP	Item	Unit Price	3

Page

2 of 5

REQUEST FOR QUOTATION Kuwait Oil Company (K.S.C) Return RFQ Response To: RFQ Number: 2109290 Publish Type **PUBLIC EBUS** Rfq Fee Required? Issue Date: 09-Nov-2022 Electronic Bidding Due Date: 28-Nov-2022 Rfq Fee Amount 0.000 Due Time: 13:00 Bid Bond Required? Fax: Bid Bond Amt / %: 0.000 2 AS 70007963 LIFTER, PALLET, 2.5 TON, HEAVY DUTY STEEL WITH POLYURETHANE **Total Price** WHEELS, 75 X 200 X 1150 MM, HYDRAULIC TRUCK Heavy Duty Hydraulic Pallet Truck - 2.5 Ton Capacity Rolls easily, can maneuver in crampled areas. Heavy duty steel frame with polyurethane wheels. Self lubricating bearings at all pivot points. Forks with tapered ends and rugged slides for easy entry and exit from pallets with the following specifications & dimensions: Load capacity - more or equal to 2.5 Ton Height of fork (lowered height from flooring to top of fork) - more or equal to 75 mm, (raised height from flooring to top of fork) - equal or less to 200 mm, width over forks - equal or less to 865 mm. Fork length - equal or more to 1150 mm Full Detailed Technical speification & catalogue to be submitted with the offer for technical evaluation. Mfr / Ven: Model: Part: **Product Group:** Attribute Value APPLICATION PALLET **CAPACITY** 2.5 HEAVY DUTY STEEL WITH POLYURETHANE WHEELS **MATERIAL** 75 X 200 X 1150 SIZE HYDRAULIC TRUCK TYPE **Need Date INCO Terms** Method of Shipment **Delivery Period in Days**

Unit Price

Line

Qty

UP

Item

REQUEST FOR QUOTATION Kuwait Oil Company (K.S.C) Return RFQ Response To: RFQ Number: 2109290 Publish Type **PUBLIC EBUS** Rfq Fee Required? Issue Date: 09-Nov-2022 Electronic Bidding Due Date: 28-Nov-2022 Rfq Fee Amount 0.000 Due Time: 13:00 Bid Bond Required? Fax: Bid Bond Amt /%: 0.000

AS

LADDER, STEP, ROLLING, HEAVY DUTY WITH SAFETY LOCK, STEEL, PLATFORM HEIGHT = 2 - 2.5 METERS X OVERALL HEIGHT = 2.5 - 3 METERS ROLLING STEP LADDER, 350 LBS CAPACITY

Total Price

DETAILED SPECIFICATIONS:

1. MATERIAL OF CONSTRUCTION

2. LOAD RATING

3. PLATFORM HEIGHT (D) 4. OVERALL HEIGHT (A)

5. STEPS

0000179782

6. TOE BOARD

: STEEL, HEAVY DUTY

: 350 LBS (MIN.) : 2 - 2.5 METERS

: 2.5 - 3 METERS

: GOOD SLIP RESISTANCE : 100 MM HIGH REQUIRED

ON THREE SIDES

7. HANDRAILS & FRAME

8. LOCK MECHANISM

: STEEL, HEAVY DUTY : HEAVY DUTY, SAFETY LOCK

NOTES:

1. DETAILED TECHNICAL SPECIFICATION & MFR'S CATALOGUE SHOWING COMPLETE DIMENSIONS (A, B, C, D, E & F) & PARTS ALONG WITH THE NUMBER OF STEPS SHALL BE SUBMITTED WITH THE OFFER FOR TECHNICAL

REVIEW.

- 2. SHALL BE FROM ANY REPUTED MANUFACTURERS
- 3. ENCLOSED IMAGE (FOR REFERENCE ONLY)

Mfr / Ven:

Model:

Part:

Product Group:

Attribute	Value
MATERIAL	STEEL
RATING	350 LBS
SIZE	PLATFORM HEIGHT = 2 - 2.5 METERS X OVERALL HEIGHT = 2.5 - 3 METERS
ТҮРЕ	ROLLING, HEAVY DUTY WITH SAFETY LOCK

Delivery Period in Days

Method of Shipment

INCO Terms

Need Date

inguistic to the state of the s	REQUI	EST FOR	R QUOT	ATION	
Kuwait Oil Company (K.S.C)					
Return RFQ Response To: EBUS Electronic Bidding		RFQ Number: Issue Date: Due Date: Due Time:	2109290 09-Nov-2022 28-Nov-2022 13:00	Publish Type : PUBLIC Rfq Fee Required? :	
Fax:				Bid Bond Amt /%: 0.000	
	RFQ Total Cost:				

Terms and Conditions

1 Transportation and Delivery of Materials

Transportation and Delivery of Materials: 1. Materials delivered to KOC Warehouse will be off loaded under the supervision of the company employees during KOC Working Hours as indicated by Receiving Team. 2. Light Materials delivered on Half Lorries not exceeding 2 Tons will be offloaded by the company. 3. Heavy materials which will be delivered on Trailers or inside Containers to be offloaded by the Vendor with his own offloading equipment.

Special Instruction & Notes

Payment Terms:

FOB Point:

Ship Via:

Freight Terms:

Special Instructions:

LIFTER, PALLET, LADDER

YOU ARE AN INVITED BY KOC TO SUBMIT A TENDER ON THIS RFQ FOR SUPPLY OF MATERIAL IN ACCORDANCE WITH THE ATTACHED PARTICULAR INSTRUCTIONS AND CONDITIONS. YOUR ATTENTION IS ALSO DIRECTED TO THE GENERAL CONDITIONS& INSTRUCTIONS, WHICH WILL CONSTITUTE PART OF THIS RFQ. THIS TENDER IS NOT RESTRICTED TO APPROVED MANUFACTURERS

YOU ARE REQUESTED TO PAY SPECIAL ATTENTION TO CLAUSE 5.2 IN THE PARTICULAR INSTRUCTIONS TO THE TENDERER WHICH HIGHLIGHTS A NEW REQUIREMENT TO BE STRICTLY FOLLOWED IN THE TENDER SUBMISSION PROCEDURE.